

# **SAFETY** DATASHEET

## Rhino Foil Cold Glue

### 1. Identification of the Material and Supplier

Product Name: Rhino Foil Cold Glue

Other Names: Rhino Foil RF-51, Rhino Foil Breather RF-51B, Rhino Wrap RP-51 &

WRP-51, Rhino Wrap Breather RP-51B & WRP-51B, Rhino Primo

Wrap RP-51-PM

Recommended Use: Insulation

**Supplier:** Thor Building Products Pty Ltd

Address: 293 Earnshaw Rd, Northgate, Qld, 4013

**Telephone** 1300 880 828 **Facsimile:** 07 3246 2200

Manufacturer: Thor Building Products Pty Ltd

Emergency Contact: 1300 880 828

Website: www.thorbuildingproducts.com.au

Important Notice: This Safety Data Sheet (SDS) is issued by the Supplier in accordance

with the Australian Safety and Compensation Commission ASCC (formerly National Occupational Health and Safety Commission NOHSC) guidelines. As such, the information in it must not be altered, deleted or added to. The Supplier will issue a new SDS when there is a change in product specifications and/or ASCC guidelines/regulations. The Supplier will not accept any

responsibility for any changes made to its SDS by any other person

or organization.

#### 2. Hazards Identification

#### NOT CLASSIFIED AS HAZARDOUS ACCOURDING TO SAFE WORK AUSTRALIA CRITERIA.

#### NOT CLASSIFIED AS DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE.

UN No.:

Packing Group:

None Allocated.

DG Class:

None Allocated.

Hazchem Code:

None Allocated.

Subsidiary Risk(s):

None Allocated.

#### 3. Composition/Information on Ingredients

Ingredient	Proportion	CAS Number
ALUMINIUM FOIL	20%	Not Available
ADHESIVE (COLD GLUE)	10%	Not Available
WOVEN POLYPROPYLENE	50%	Not Available
P.P. LAMINATING	25%	Not Available

SDS03 | Issue Date 14/11/2019 1 of 5



# **SAFETY** DATASHEET

#### 4. First Aid Measures

**Eye:** Flush with copious amounts of water. If symptoms persist, seek

medical attention.

**Inhalation:** Remove to fresh air. If symptoms persist, seek medical attention.

Skin: Sluice with water and, if irritation persists, seek medical attention.

Ingestion: Unlikely under normal conditions of use. Rinse the lips and mouth

with water, give water to drink, and seek medical attention.

**Advice to Doctor:** Treatment should be directed toward the source of irritation with

symptomatic treatment as necessary.

### 5. Fire Fighting Measurements

**Specific Hazards:** Low Flammability Index (<5) in accordance with AS1530.2.

Delamination may occur at temperatures above 80°C.

**Extinguishing Media:** Use extinguishing media (e.g. carbon dioxide, water, foam or dry

chemical)and equipment as required if fire in surrounding materials.

**Hazardous** Oxides of antimony, oxides of arsenic, oxides of lead, hydrochloric

**Combustion** acid.

**Products:** 

**Hazardous** No decomposition if used and stored at temperature below 70oC. If

**Decomposition** heated for prolonged periods at above 70oC, or for short periods above 200oC will result in the evolution of hydrochloric acid.

Firefighting If product is present in a fire, toxic gasses may evolve. Evacuate

**Procedures:** area and contact emergency services. Remain upwind and notify

those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when

combating fire.

#### 6. Accidental Release Measures

**Off-cuts:** Collect off-cuts and waste material for appropriate disposal.

#### 7. Storage and Handling

**Storage:** Store in dry sheltered environment. Ensure packages are

adequately labelled, protected from physical damage, and sealed

when not in use.

Handling Rhino Foil reflective insulation, as supplied and once installed, does

not release dust, and does not cause any health effects.

SDS03 | Issue Date 14/11/2019 2 of 5



# **SAFETY** DATASHEET

### 8. Exposure Controls/Personal Protection

**Exposure Standards:** No exposure standard(s) allocated. **Biological Limits:** No biological limit(s) allocated.

**Engineering Controls:** Not applicable.

**PPE** Not required under normal conditions of use.

Where product is heated above 120°C, causing smoke or fumes, an efficient cartridge-type or powered respirators or supplied-air helmets may be necessary. Use only respirators that bear the Australian Standards mark and are fitted and maintained correctly,

and that have been kept in clean storage when not in use.

#### 9. Physical and Chemical Properties

**Appearance:** Aluminium foil covered laminate, other face blue woven

polypropylene.

Odour: None. Upper/Lower Not applicable.

Flash Point Not applicable. Explosion Limit:

**Boiling Point: Evaporation Rate:** Not applicable. Not applicable. **Melting Point:** Not applicable. % Volatiles: Not applicable. **Vapour Density:** Not applicable. pH: Not applicable. **Specific Gravity:** Not applicable (<1). Decomposition Long periods 70°C Solubility (water): Insoluble Temperatures: Short periods 200°C

Vapour Pressure: Not applicable.

Simultaneous determination of Ignitability, Flame Propagation, Heat Release and Smoke

Release in accordance with AS1530.3

Ignitability: 0 Flame Spread Index: 0 Heat Evolved Index: 0 Smoke-developed 0-1

Index:

#### 10. Stability and Reactivity

**Chemical Stability:** Stable. No reported incompatibilities. **Conditions to Avoid:** Heating to over 70°C for long periods.

**Materials to Avoid:** Compatible with most commonly used materials.

**Hazardous**No decomposition if used and stored at temperature below 70°C. If **Decomposition**Products:
No decomposition if used and stored at temperature below 70°C. If
heated for prolonged periods at above 70°C, or for short periods
above 200°C will result in the evolution of hydrochloric acid.

Hazardous None known.

**Polymerisation:** 

SDS03 | Issue Date 14/11/2019 3 of 5



# **SAFETY**DATASHEET

### 11. Toxicological Information

Toxological data is not applicable to the solid material

#### Health Effects (applicable to fumes due to overheating above 200°C)

**Acute Effects:** When heated above 200°C, the adhesive may break down releasing

hydrochloric acid.

Eye: In situations of overheating above 200°C fumes will irritate eyes

causing watering and redness.

**Inhalation:** In situations of overheating above 200°C highly irritant smoke or

fumes may cause excess mucous secretion, coughing and lung

damage (see Sections 5 and 10 above).

**Skin:** In situations of overheating above 200°C fumes may cause mild skin

irritation.

**Ingestion:** Unlikely under normal conditions of use.

**ChronicL** None known.

### 12. Ecological Information

**Ecotoxicity:** No know reports of ecotoxicity.

Persistence and Product would be expected to be of low bio-degradability and

**Degradability:** persistent in the environment. **Mobility:** Low mobility in landfill situations.

#### 13. Disposal Considerations

Waste Disposal Collect off-cuts and waste material for disposal into a landfill in

accordance with relevant authority guidelines.

**Legislation:** Dispose of in accordance with relevant local legislation.

#### 14. Transport Information

#### NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN Number: None Allocated Proper Shipping None Allocated

Name: DG Class:

None Allocated

Subsidiary Risk(s): None Allocated
Packing Group: None Allocated
Hazchem Code: None Allocated

SDS03 | Issue Date 14/11/2019 4 of 5



# **SAFETY**DATASHEET

#### 15. Regulatory Information

Poisons Schedule: A poison schedule number has not been allocated to this product

using the criteria in the Standard for the Uniform Scheduling of

Medicines and Poisons (SUSMP)

**Inventory Listing(s)** AUSTRALIA: AICS (Australian Inventory of Chemical Substances)

All components are listed on AICS, or are exempt.

#### 16. Other Information

**Additional** Insulation Council of Australia and New Zealand: www.icanz.org.au

Information and Poisons Information Centre 13 11 26 (Australia Wide)

**Reference** National Code of Practice for the Preparation of Material Safety

**Documents:** Data Sheets

2nd Edition [NOHSC:2011 (2003)], April 2003

National Code of Practice For The Labelling of Workplace Substances [NOHSC:2012 (1994)], March 1994, Australian

Government Publishing Service, Canberra.

Australian Standards AS/NZS 1336 Recommended practice for occupational eye

Reference: protectio

AS/NZS 1715 Selection, use and maintenance of respiratory protective devices. AS/NZS 1716 Respiratory protective devices.

AS/NZS 2161 Occupational protective gloves.

SDS DATE | November 14,2019 | Supersedes Date | February 22,2019

**END of Report** 

SDS03 | Issue Date 14/11/2019 5 of 5